



Salesforce

Platform-Developer II
Salesforce Certified Platform Developer II

Questions & Answers PDF

For More Information:

<https://www.certswarrior.com/>

Features:

- 90 Days Free Updates
- 30 Days Money Back Guarantee
- Instant Download Once Purchased
- 24/7 Online Chat Support
- Its Latest Version

Question: 1

What is a consideration when using bind variables with dynamic SOQL? Choose 2 answers

- A. Dynamic SOQL cannot reference fields on bind variables.
- B. Dynamic SOQL cannot use bind variables.
- C. Bind variables must be public or global.
- D. Bind variables must be in local scope.

Answer: A, D

Question: 2

A developer created a custom component to display an HTML table. The developer wants to be able to use the component on different Visualforce Pages and specify different header text for the table. Which tag should the developer use inside the component?

- A. `< apex:variable>`
- B. `< apex:define>`
- C. `< apex:param>< meta charset="utf-8" />< apex:param>`
- D. `< apex:attribute>`

Answer: D

Question: 3

Which two objects can be inserted in the same transaction? Choose 2 answers

- A. Opportunity and User
- B. Account and AccountShare
- C. Case and CaseComment
- D. Account and Group

Answer: B, C

Question: 4

How can the DISTANCE and GEOLOCATION functions be used in SOQL queries? Choose 2 answers

- A. To filter results based on distance from a latitude and longitude.\

- B. To get the distance results from a latitude and longitude.
- C. To order results by distance from a latitude or longitude.
- D. To group results in distance ranges from a latitude and longitude

Answer: B, C

Question: 5

A developer has created a solution using the SOAP API for authenticating Communities users. What is needed when issuing the login()Call? Choose 2 answers

- A. Organization Id
- B. Session Id
- C. Username and Password
- D. Security Token

Answer: C, D

Question: 6

When developing a Visualforce page that will be used by a global organization that does business in many languages and many currencies, which feature should be used? Choose 3 answers

- A. Custom Labels
- B. ConvertCurrency()
- C. Global Labels
- D. Translation Workbench
- E. GetLocalCurrency()

Answer: A, B, D

Question: 7

A developer needs test data for Apex test classes. What can the developer use to provide test data to the test methods? Choose 2 answers

- A. List ls = Test.loadData (Lead.sObjectType, 'myTestLeads');
- B. MyDataFactory.createTestRecords (10)
- C. Database.createTestRecords (10)

Answer: A, B

Question: 8

What is a valid return type for the following SOSL query? [FIND 'map' IN ALL FIELDS RETURNING Account (Id, Name) , Contact, Opportunity,Lead]

- A. List< subject>
- B. List < List< sObject>>
- C. List< AggregateResult>
- D. List< Account>

Answer: B

Question: 9

What level can a hierarchy custom setting be defined for? Choose 3 answers

- A. Users
- B. Groups
- C. Profiles
- D. Roles
- E. Organization

Answer: A, C, E

Question: 10

A developer has created a Visualforce page that uses a third-party JavaScript framework. The developer has decided to supply data to the JavaScript functions using JavaScript Remoting for Apex Controllers. What is the correct syntax to declare a remote method in Apex? Choose 2 answers

- A. @RemoteAction global static String getTable()
- B. @RemoteAction global String getTable()
- C. @RemoteAction public static String getTable()
- D. @Remoteobject global static String gettable AC

Answer: A, C

Question: 11

Which API can be used to execute unit tests? Choose 3 answers

- A. Streaming API
- B. Test API
- C. Tooling API
- D. SOAP API
- E. Metadata API

Answer: C, D, E

Question: 12

Which statement is true about using ConnectApi namespace (also called Chatter in Apex)? Choose 2 answers

- A. Chatter in Apex methods honor the 'with sharing' and 'without sharing' keywords.
- B. Chatter in Apex operations are synchronous, and they occur immediately.
- C. Chatter in Apex methods do not run in system mode; they run in the context of the current user.
- D. Many test methods related to Chatter in Apex require the `IsTest (SeeAllData=true)` annotation

Answer: C, D

Question: 13

A developer receives a `LimitException: Too many query rows: 50001` error when running code. What debugging approach using the Developer Console provides the fastest and most accurate mechanism to identify a specific component that may be returning an unexpected number of rows?

- A. Count the number of Row Limit warning messages in the Debug Logs.
- B. Add `System.debug (System.getQueryRows ())` to the code to track SOQL usage.
- C. Filter the Debug Log on `SOQL_EXECUTE_END` statements to track the results of each SOQL Query.
- D. Use the Execution Overview to see the number of rows returned by each Executed Unit.

Answer: C

Question: 14

A developer is writing a Visualforce page to display a list of all of the checkbox fields found on a custom object. What is the recommended mechanism the developer should use to accomplish this?

- A. Schema class
- B. Apex API

- C. Schema Builder
- D. Metadata API

Answer: A

Question: 15

A developer is building a Visualforce page that interacts with external services. Which interface should the developer implement to test this functionality? Choose 2 answers

- A. HTTPCalloutMock
- B. HTTPRequestMock
- C. HTTPResponseMock
- D. StaticResourceCalloutMock

Answer: A, D

Question: 16

A developer needs to create a Lightning page for entering Order Information. An error message should be displayed if the zip code entered as part of the Order's shipping address is not numeric. What is a recommended way for the error message be displayed to the end user?

- A. Use the apex:message tag to display errors.
- B. Use the aura:component tag to display errors.
- C. Use the ui:outputText tag to display errors.
- D. Use the ui:inputDefaultError tag to display errors

Answer: D

Question: 17

A developer is writing unit tests for the following method: `public static Boolean isFreezing(String celsiusTemp) { if(String.isNotBlank(celsiusTemp) && celsiusTemp.isNumeric()) return Decimal.valueOf(celsiusTemp) <= 0; return null; }` Which assertion would be used in a negative test case?

- A. `System.assertEquals(true, isFreezing(null));`
- B. `System.assertEquals(true, isFreezing(' 0');`
- C. `System.assertEquals(null, isFreezing('asdf'));`

D. `System.assertEquals(true, isFreezing('!OO'));`

Answer: C

Question: 18

During the order of execution of a Visualforce page GET request, what happens after this step: Evaluate constructors on controllers and extensions?

- A. Evaluate constructors and expressions on custom components.
- B. Create view state if < apex: form> exists.
- C. Send the HTML response to the browser.
- D. Evaluate expressions, action attributes, and method calls.

Answer: A

Question: 19

A developer has generated Apex code from a WSDL for an external web service. The web service requires Basic authentication. What code should the developer use to authenticate?

- A. `Http.setHeader('Authorization', 'Basic QthZGprjpchVuIHNchFtZQ==');`
- B. `Stub.inputHttpHeader.put('Authorization', 'Basic QthZGprjpchVuIHQchE'tZQ:');`
- C. `Http.setAuthentication('Basic QthZGprjpchVuIHNchFtZQ:');`
- D. `Stub.authentication.put('Authorization', 'Basic QthZGprjpchVuIHNchFtZQ==');`

Answer: B

Question: 20

What is the correct syntax for calling a controller action from a Visualforce page and updating part of the page once the action is completed? Choose 2 answers

- A. `< apex: commandFunction action="{ !Save}" value="Save" rendered="thePageBlock"/>`
- B. `< apex:actionFunction action="{ !Save}" name="Save" rerender="thePageBlock"/>`
- C. `< apex:commandButton action="{ !Save}" value="Save" redraw="thePageBlock"/>`
- D. `< apex:actionSupport action="{ !Save}" event="" rerender="thePageBlock"/>`

Answer: B, D



CERTSWARRIOR

FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

<https://www.certswarrior.com>

20% Discount Coupon Code: 20off2019