



SUSE

sca_sles15

SUSE Certified Administrator in Enterprise Linux 15

Questions & Answers PDF

For More Information:

<https://www.certswarrior.com/>

Features:

- 90 Days Free Updates
- 30 Days Money Back Guarantee
- Instant Download Once Purchased
- 24/7 Online Chat Support
- Its Latest Version

Latest Version: 7.0

Question: 1

Which statements about using the -U option and the -F option when running the rpm command are true? (Choose two)

- A. The -U option will install a package whether or not a previous version of the package is already installed.
- B. The -F option will install a package whether or not a previous version of the package is already installed.
- C. The -U option remove all binaries, scripts, links, and documentation files associated with the RPM in the RPM Database.
- D. The -F option will verify (fix) a broken application based on the information in the RPM Database.
- E. The -U option will remove all the binaries in the package from the file system and update the RPM Database.
- F. The -F option will install a package only if a previous version of the package is already installed.

Answer: AF

Explanation:

The -U option will install a package whether or not a previous version of the package is already installed. If a previous version exists, it will be upgraded. The -F option will install a package only if a previous version of the package is already installed. It will not install a new package. Reference: <https://documentation.suse.com/sles/15-SP3/html/SLES-all/cha-sw-cl.html#sec-rpm-commands>

Question: 2

You are working at a terminal window of a server at the office, but you want to continue this work by remotely accessing the terminal session from your home office. Which command will you need to use to accomplish this?

- A. screen
- B. bg
- C. -tty-release
- D. Ctrl-fa, r
- E. bg -term disconnect

Answer: A

Explanation:

The screen command will allow you to create and manage multiple terminal sessions that can be

detached and resumed later. You can use the screen command to start a new session, then detach it with Ctrl-a d, and reattach it from another location with screen -r. Reference: <https://documentation.suse.com/sles/15-SP3/html/SLES-all/cha-screen.html>

Question: 3

What is the first file executed by a bash login shell?

- A. /etc/profile
- B. /etc/profile.alias
- C. ./profile
- D. ./alias
- E. /etc/bash

Answer: A

Explanation:

https://www.gnu.org/software/bash/manual/html_node/Bash-Startup-Files.html

When Bash is invoked as an interactive login shell, or as a non-interactive shell with the --login option, it first reads and executes commands from the file /etc/profile, if that file exists. After reading that file, it looks for ~/.bash_profile, ~/.bash_login, and ~/.profile, in that order, and reads and executes commands from the first one that exists and is readable. The --noprofile option may be used when the shell is started to inhibit this behavior.

The first file executed by a bash login shell is /etc/profile. This file sets global environment variables and aliases for all users. It may also source other files in /etc/profile.d/ directory. Reference:

<https://documentation.suse.com/sles/15-SP3/html/SLES-all/cha-bash.html#sec-bash-startup>

Question: 4

Which Vim command will save the current file without exiting?

- A. q!
- B. w-no-exit
- C. wq!
- D. w
- E. w!

Answer: D

Explanation:

Save a File in Vim / Vi #

The command to save a file in Vim is :w.

To save the file without exiting the editor, switch back to normal mode by pressing Esc, type :w and hit Enter.

<https://linuxize.com/post/how-to-save-file-in-vim-quit-editor/>

The w command will save the current file without exiting Vim. It stands for write. The other commands are either invalid or will exit Vim after saving. Reference: <https://documentation.suse.com/sles/15-SP3/html/SLES-all/cha-vim.html#sec-vim-save>

Question: 5

Which statements regarding subvolumes in a Btrfs filesystem are true (Choose two)

- A. Every subvolume on a Btrfs filesystem must have the same quota if quotas are implemented.
- B. Even though subvolumes in Btrfs appear to be subdirectories, subvolumes can be mounted separately. The -o sub=
- C. Every subvolume on a Btrfs filesystem must have a name that begins with the "@" character.
- D. Multiple virtual filesystems can be created inside the Btrfs filesystem.

Answer: B, D

Explanation:

Subvolumes in Btrfs are like virtual filesystems that can be mounted separately with the -o subvol= option. They can also have different attributes and quotas. Subvolumes do not have to start with "@" character, although some default subvolumes use this convention. Reference: <https://documentation.suse.com/sles/15-SP3/html/SLES-all/cha-btrfs.html#sec-btrfs-subvolumes>



CERTSWARRIOR

FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

<http://www.certswarrior.com>

Discount Coupon Code:

CERTSWARRIOR10

We Accept

PayPal