



Huawei

H35-561
HCNP - LTE RNP & RNO

Questions & Answers PDF

For More Information:

<https://www.certswarrior.com/>

Features:

- 90 Days Free Updates
- 30 Days Money Back Guarantee
- Instant Download Once Purchased
- 24/7 Online Chat Support
- Its Latest Version

Latest Version: 6.0

Question: 1

Which of the following events can be used to trigger inter-frequency switching? (multiple choice)

- A. A2
- B. A3
- C. A4
- D. A5

Answer: B, C, D

Question: 2

How many types of TDD uplink and downlink subframe configurations are there?

- A. 3
- B. 5
- C. 7
- D. 9

Answer: C

Question: 3

When X2 handover cannot be performed between eNodeBs, S1 handover is performed.

- A. True
- B. False

Answer: A

Question: 4

How many configurations are there for R8 TDD special subframe configuration?

- A. 3

-
- B. 5
 - C. 7
 - D. 9

Answer: D

Question: 5

In which of the following messages will the tracking area information be sent to the MME for consistency check?

- A. S1AP: E-RAB setup request
- B. RRC: RRC connection request
- C. S1AP: Initial context setup request
- D. S1AP: S1 setup request

Answer: D



CERTSWARRIOR

FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

<http://www.certswarrior.com>

Discount Coupon Code:

CERTSWARRIOR10

We Accept

PayPal