



CERTSWARRIOR

# Qlik DICA

## Talend Data Integration Administrator

[Questions&AnswersPDF](#)

**ForMoreInformation:**

<https://www.certswarrior.com/>

## Features:

- 90DaysFreeUpdates
- 30DaysMoneyBackGuarantee
- InstantDownloadOncePurchased
- 24/7OnlineChat Support
- ItsLatestVersion

# Latest Version: 6.0

## Question: 1

Which operations are available when working with revision control (Git) in Talend Studio?  
(Choose two)

- A. Commit
- B. Revert
- C. Pull
- D. Schedule Job

**Answer: A,C**

## Question: 2

What happens if there are duplicate keys in the lookup input of a tMap join configured for Unique match?

- A. All matching rows are returned
- B. Talend returns the first matched record
- C. Only null values are returned
- D. Talend throws a runtime exception

**Answer: B**

## Question: 3

Which logging component can be used to capture and store logs in a text file?

- A. tFileInputDelimited
- B. tLogRow
- C. tChronometerStop
- D. tFileOutputDelimited

**Answer: D**

## Question: 4

Which parameters can be dynamically passed to a child Job?  
(Choose two)

- A. context.filename
- B. context.database
- C. context.env
- D. schema definitions

**Answer: A,B**

### Question: 5

How can you use context variables in SQL queries within Talend?

- A. As part of dynamic strings using Java expressions
- B. Only in INSERT queries
- C. Only in stored procedures
- D. Only in WHERE clauses

**Answer: A**

### Question: 6

What can be achieved by using Talend's predefined functions inside the tMap expression editor?  
(Choose two)

- A. Complex looping structures
- B. Logging to console
- C. Date conversions
- D. String manipulation

**Answer: C,D**

### Question: 7

Which Talend components are directly involved in capturing or handling Job errors?  
(Choose two)

- A. tBufferOutput
- B. tLogCatcher
- C. tWarn
- D. tDie/

**Answer: B,D**

### Question: 8

In the tMap editor, which tools help ensure data quality when joining datasets?  
(Choose two)

- A. Join key definition
- B. Catch Lookup Inner Join Reject
- C. Expression filter
- D. Data lineage mapping

**Answer: A,B**

### Question: 9

How are context variables handled during standalone Job execution?

- A. They are hardcoded at build time
- B. They must be stored in .properties files
- C. They can be passed as command-line arguments
- D. They require the use of tContextDump

**Answer: C**

### Question: 10

What is the purpose of an OnComponentError trigger in Talend?

- A. To link a subJob that must always execute after a component
- B. To prevent Job execution from stopping due to a warning
- C. To handle data transformation errors inside tMap
- D. To execute an alternate flow when a component encounters a runtime error

**Answer: D**



CERTSWARRIOR

*FULL PRODUCT INCLUDES:*

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

**<https://www.certswarrior.com>**

**16 USD Discount Coupon Code: U89DY2AQ**