



CERTSWARRIOR

Hitachi HQT-4180

**Hitachi Vantara Qualified Professional - VSP Midrange
Family Installation**

Questions&AnswersPDF

ForMoreInformation:

<https://www.certswarrior.com/>

Features:

- 90DaysFreeUpdates
- 30DaysMoneyBackGuarantee
- InstantDownloadOncePurchased
- 24/7OnlineChat Support
- ItsLatestVersion

Latest Version: 6.0

Question: 1

What are two consequences when a "New Installation" procedure is performed on a VSP Midrange system?

(Choose two.)

Response:

- A. The SVP drive is formatted.
- B. The MPC software is updated.
- C. All the data on RAID groups is lost.
- D. The license keys are deleted.

Answer: AC

Question: 2

How are program products enabled on VSP midrange storage systems?

Response:

- A. By downloading and installing software packages from the manufacturer's website
- B. By activating license keys provided by the manufacturer
- C. By running specific commands in the storage systems' management interface
- D. By connecting external devices to the storage systems and transferring the programs

Answer: B

Question: 3

A drive in a 3D + 1P RAID group fails in a VSP G700 and there is no spare drive available. Which two actions are automatically performed by the system?

(Choose two.)

Response:

- A. An alert is generated.
- B. Dynamic Sparing is started.
- C. The Correction Copy process starts.
- D. The RAID group is placed in Correction Access.

Answer: AB

Question: 4

What is the primary purpose of VSP midrange storage systems?

Response:

- A. Running virtual machines and applications
- B. Backing up and restoring data
- C. Accelerating data analytics and processing
- D. Providing reliable and scalable storage solutions

Answer: D

Question: 5

You are installing a VSP F370 and you need to connect your laptop to one of the controllers. What are the two default IP addresses of the maintenance ports of CTL1 and CTL2?

(Choose two.)

Response:

- A. 10.0.0.17
- B. 10.0.0.16
- C. 192.168.0.17
- D. 192.168.0.16

Answer: AB

Question: 6

Which three RAID configurations are supported by VSP Midrange systems?

(Choose three.)

Response:

- A. 2D + 2D
- B. 4D + 1P
- C. 7D + 1P
- D. 8D + 1P
- E. 10D + 2P

Answer: BDE

Question: 7

A customer wants to upgrade a VSP G700 to 512 GB RAM capacity. What is the valid CFM configuration?
Response:

- A. two BM35 per controller
- B. two BM45 per controller
- C. one BM45 per controller
- D. two BM35 per system

Answer: A

Question: 8

What role does remote access and monitoring software play in troubleshooting VSP midrange storage systems?
Response:

- A. It allows technicians to access the storage systems remotely for maintenance and configuration.
- B. It provides real-time performance monitoring and alerts for potential issues.
- C. It enables automatic firmware updates and patches for the storage systems.
- D. It assists in data migration and replication processes between storage systems.

Answer: A

Question: 9

What information is covered when describing the different VSP midrange storage systems models and their specifications?
Response:

- A. External design and aesthetics of the storage systems
- B. Technical specifications and features of the storage systems
- C. Cost and pricing information of the storage systems
- D. Performance benchmarks and comparisons of the storage systems

Answer: B

Question: 10

What is the function of VSP Storage Navigator in managing VSP midrange storage systems?

Response:

- A. It provides a graphical user interface for system configuration and management.
- B. It enables remote monitoring of system performance and capacity utilization.
- C. It offers advanced analytics and reporting capabilities for storage optimization.
- D. It facilitates firmware updates and patches for the storage systems.

Answer: A



CERTSWARRIOR

FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

<https://www.certswarrior.com>

16 USD Discount Coupon Code: U89DY2AQ