



CERTSWARRIOR

# NCC RNC-LRN

**Low-Risk Neonatal Intensive Care Nursing**

**Questions&AnswersPDF**

**ForMoreInformation:**

**<https://www.certswarrior.com/>**

## **Features:**

- 90DaysFreeUpdates
- 30DaysMoneyBackGuarantee
- InstantDownloadOncePurchased
- 24/7OnlineChat Support
- ItsLatestVersion

**Visit us at: <https://www.certswarrior.com/exam/rnc-lrn>**

# Latest Version: 6.0

## Question: 1

The focal point of any research study that drives all other aspects of the investigation is the:

- A. Hypothesis
- B. Research design
- C. Selection of participants

**Answer: A**

## Question: 2

Which of the following distinguishes metabolic acidosis from respiratory acidosis?

- A. Decreased base deficit
- B. Decreased pH
- C. Increased PCO<sub>2</sub>

**Answer: A**

## Question: 3

A breastfeeding mother develops redness on her right breast accompanied by fever, chills, and headache. In addition to antibiotic therapy, an appropriate intervention would be

- A. Cold compress to the affected breast
- B. Continue to breastfeed to empty affected breast
- C. Discontinue breastfeeding until the symptoms subside

**Answer: B**

## Question: 4

How should a newborn delivered with meconium staining who is responsive be managed?

- A. Always suction at the perineum
- B. No suction if baby is active and does not require resuscitation

C. Suction only after the airway has been inspected

**Answer: B**

### Question: 5

A breastfeeding woman gave birth to twins. One twin was diagnosed with a heart problem and was kept in the hospital for surgery. The other twin was discharged home. At three weeks postpartum, the father calls the nursery explaining his wife is feeling overwhelmed, anxious, and is unable to cope with the infant at home. The nurse should recognize that this woman's behaviors are most likely due to:

- A. Early signs of postpartum depression
- B. Poor maternal infant attachment
- C. Sleep deprivation and exhaustion

**Answer: A**

### Question: 6

The most appropriate diagnostic procedure to confirm a pneumothorax is:

- A. Needle aspiration
- B. Thoracentesis
- C. X-ray

**Answer: C**

### Question: 7

At what rate per minute should chest compressions be done?

- A. 80
- B. 90
- C. 100

**Answer: B**

### Question: 8

Bioavailability describes the:

- A. Distribution of a drug to various organs, fluids and tissues
- B. Extent to which a drug enters the systemic circulation
- C. Translocation of a drug from the act of administration into the systemic circulation

**Answer: C**

### Question: 9

Compared to breast milk, pre breast milk is composed of:

- A. Higher carbohydrate content
- B. Higher lipid content
- C. Higher protein content

**Answer: C**

### Question: 10

The unsensitized Rh-negative mother whose baby is Rh positive should:

- A. Have the father's blood type deined
- B. Not receive further treatment
- C. Receive Rhogam within 72 hours

**Answer: C**

### Question: 11

Infants of diabetic mothers are at risk for:

- A. Congenital anomalies
- B. Inborn errors of metabolism
- C. Pulmonary hypoplasia

**Answer: A**

### Question: 12

Delayed cord clamping has what effect?

- A. Decreases incidence of anemia in the newborn
- B. Increases risk of pathological jaundice
- C. Is contraindicated in pre delivery

**Answer: A**



# CERTSWARRIOR

## *FULL PRODUCT INCLUDES:*

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

**<https://www.certswarrior.com>**

**16 USD Discount Coupon Code: U89DY2AQ**